

## RMB

---

**From:** Esguerra, Carlos <Carlos.Esguerra@ct.gov>  
**Sent:** Friday, October 30, 2015 11:45 AM  
**To:** 'David Prickett'  
**Cc:** 'kjzrmb@msn.com'; Andrew Lord (andrew@lordlawllc.com); Jay Sheehan; Greci, Dennis; 'Bonnie Reemsnyder'; Ruzicka, Denise  
**Subject:** RE: Old Lyme EIE

Hi Dave,

The wastewater management needs section of the draft EIE needs further refinement following up on our October 8 meeting here at DEEP. Considering that the beach associations issued an EIE that is currently out to public notice, the purpose of the town's EIE document will be to focus on Hawks Nest and Sound View areas. Jay asked me to provide him with comments on the draft EIE no later than Tuesday Nov. 10<sup>th</sup> in order to facilitate the discussion of any outstanding issues at the next WPCA meeting. I will provide you with comments before this date.

As you may also know, SV residents submitted a request for public hearing following the issuance of the beach associations EIE. We need to eventually discuss tentative dates for a single public hearing in Old Lyme addressing the two EIE documents. State statute requires that a CEPA public hearing be held at least 30-days after issuance of an EIE document which in this case will put us into the month of January of 2016 for holding a public hearing.

I will discuss with management the deadline extension request and get back to you asap. In the interim please contact me with any questions.

Thank you,

Carlos

Carlos Esguerra  
Sanitary Engineer II  
Municipal Facilities Section  
Planning & Standards Division  
Bureau of Water Protection and Land Reuse  
Connecticut Department of Energy and Environmental Protection  
79 Elm Street, Hartford, CT 06106-5127  
P: 860.424.3756 | E: carlos.esguerra@ct.gov



---

[www.ct.gov/deep](http://www.ct.gov/deep)

*Conserving, improving and protecting our natural resources and environment;  
Ensuring a clean, affordable, reliable, and sustainable energy supply.*

---

**From:** David Prickett [<mailto:Dave.Prickett@dpcengineering.com>]  
**Sent:** Thursday, October 29, 2015 5:14 PM  
**To:** Esguerra, Carlos  
**Cc:** 'kjzrmb@msn.com'; Andrew Lord ([andrew@lordlawllc.com](mailto:andrew@lordlawllc.com)); Jay Sheehan  
**Subject:** Old Lyme EIE

Hi Carlos,

I spoke with Jay Sheehan of Woodard & Curran this afternoon. The EIE is substantially complete, and they have incorporated review comments from WPCA members. However, I learned this afternoon that there may be elements of the recommendations from the Facilities Plan Report that may need further discussion with DEEP. In light of these discussions, it would appear to me that it may be best to wait until the next WPCA meeting in November to discuss the status of the EIE with the group before submitting it. It is my understanding that you verbally expressed a willingness to consider an extension. After discussing this with WPCA leadership and WPCA Counsel, we request that DEEP consider a written extension of the EIE milestone until November 31, 2015. Please feel free to contact me if you have any questions.

Thanks,  
Dave

*David R. Prickett, P.E.*  
**David Prickett Consulting, LLC**  
**107 King Philip Drive**  
**Longmeadow, MA 01106**  
Office: 413-567-6310  
Cell: 860-418-9676  
Fax: 413-451-1030  
[www.DPCEngineering.com](http://www.DPCEngineering.com)

---

No virus found in this message.  
Checked by AVG - [www.avg.com](http://www.avg.com)  
Version: 2016.0.7163 / Virus Database: 4457/10916 - Release Date: 10/30/15

